


		INCH	MM
CROWN WHEEL BOLT PCD	D1	6.0	153
No. OF BOLTS			10
THREAD / THRO' HOLE		0.6	14.5
CROWN WHEEL SPIGOT DIA	D2	5.2	132
BEARING DIA	D3	2.0	50
BEARING DISTANCE	L1	5.1	130
SPIGOT LENGTH	L2	0.9	22
	L2/A	0.9	22
OVERALL LENGTH	L3	6.9	174
BEARING/CROWN WHEEL	L4	0.7	18
BORE	D4	0.7	18
DRIVE SHAFT SPLINE:-			
No. OF TEETH		32	
PITCH		24/48 D.P.	
TYPE		FLAT ROOT SIDE FIT	
PRESSURE ANGLE		30°	



TITLE R.W.D. DIFF DATA SHEET.

SCALE 1:1 U.O.S. SHEET 1 OF 1

Drg. No. QDF DATA 3

Quaife Design & Development.

IF IN DOUBT, ASK.

THIS DRAWING OR DESIGN IS STRICTLY CONFIDENTIAL & THE COPYRIGHT THEREIN IS THE EXCLUSIVE PROPERTY OF RT QUAIFE ENGINEERING LTD. AND MAY NOT BE USED COPIED OR EXHIBITED WITHOUT THEIR WRITTEN PERMISSION.

FINISH. MACH, GRIND@G
 LIMITS. FRACT. ± 1/64".
 DEC. ± 0.005".
 MATERIAL.
 TREATMENT.
 ISSUE. 01 DATE. 16.5.05
 DRAWN BY. M.L.M.
Used In.